

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6104720").PN.	USPAT; USOCR	OR	OFF	2007/09/21 13:50
S2	2898	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (select\$3 with interfac\$4) with (mobile or wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 13:53
S3	12	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (select\$3 near4 interfac\$4) with (mobile or wireless) with IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 13:58
S4	2	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((select\$3 near4 interfac\$4) with (mobile or wireless) same IP).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:18
S5	1	("6965948").PN.	USPAT; USOCR	OR	OFF	2007/09/21 14:08
S6	12	("5774668" "5875186" "5933425" "6078946" "6321260" "6345303" "6426955" "6434139" "6522881" "6535493" "6580700" "6600738").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/21 14:09
S7	3	("6965948").URPN.	USPAT	OR	OFF	2007/09/21 14:10
S8	34	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((select\$3 near4 interfac\$4) with (mobile or wireless) same IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 16:00
S9	110	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (user near confirm\$5) with notify\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 16:01

EAST Search History

S10	7	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (user near confirm\$5) with notify\$5 with (chang\$4 or switch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 16:03
S11	23	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((user or operator) near (confirm\$5 or valid\$5)) same (notify\$5 with (chang\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 16:16
S12	510	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((user or operator) near (confirm\$5 or valid\$5)) with (change)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 10:16
S13	42	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((user or operator) near (confirm\$5 or valid\$5)) with (change) and ("370" or "455").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 16:17
S14	3483255	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (wireless adaptation layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 10:17
S15	1	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (m-wal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 10:17
S16	29	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((multi adj2 standard) near3 (wireless adaptation layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 10:19

EAST Search History

S17	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((multi adj2 standard) near3 (wireless adaptation layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 10:20
S18	6	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((wireless adaptation layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 11:05
S19	191	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (priority with (current status))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 11:06
S20	23	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or modify\$4 or updat\$4) near4 priority with (current status))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 11:08
S21	474	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or modify\$4 or updat\$4) near4 priority with (status)) not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 11:10
S22	21	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or modify\$4 or updat\$4) near4 priority with (status) with interface) not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 11:13
S23	35	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or modify\$4 or updat\$4) near4 priority with (status) with network) not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 12:09

EAST Search History

S24	292	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((stor\$4 with (information or parameter\$2) near3 (access point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 12:10
S25	79	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((stor\$4 with (information or parameter\$2) near3 (access points))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 12:13
S26	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((stor\$4 with (information or parameter\$2) near3 (available access points))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 12:14
S27	2	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((stor\$4 with (information or parameter\$2 or address) near5 (available access points))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 12:15
S28	2	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((stor\$4 with (information or parameter\$2 or address) near9 (available access points))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 12:16
S29	4	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((stor\$4 with (available access points))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 13:33
S30	70	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (mobility parameter\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 13:34

EAST Search History

S31	1	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (mobility parameter\$2) with (dynamic or static)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 13:35
S32	18	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (mobility parameter\$2) and "455".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 14:11
S33	104	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (location with static with dynamic with (terminal or node or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 14:52
S34	1	("20030219034").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/24 14:42
S35	8	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or updat\$4 or modify\$4) with (connection profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 14:55
S36	154	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or updat\$4 or modify\$4) with (connection (parameter\$2 or policy)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 14:57
S37	2	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or updat\$4 or modify\$4) with (connection (parameter\$2 or policy))) same (user with (confirm\$4 or valid\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 15:01

EAST Search History

S38	1	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or updat\$4 or modify\$4) with (network (parameter\$2 or policy))) same (user with (confirm\$4 or valid\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 15:04
S39	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or updat\$4 or modify\$4) with (connection (setup))) same (user with (confirm\$4 or valid\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:05
S40	1192	370/328.ccls. and (@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:06
S41	1359	370/329.ccls. and (@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:06
S42	2626	370/349.ccls. and (@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:06
S43	1227	370/331.ccls. and (@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:06
S44	0	370/3332.ccls. and (@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:06

EAST Search History

S45	640	370/332.ccls. and (@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:09
S46	23177	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (connection or link or channel) with (quality or bandwidth or cost or strength or power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:14
S47	130	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 ((connection or link or channel) near3 (setup or configuration or profile)) with (quality or bandwidth or cost or strength or power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:52
S48	10	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 ((connection or link or channel) near3 (setup or configuration or profile)) with (quality or bandwidth or cost or strength or power)) same (user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:16
S49	274	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (interface near3 selection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:56

EAST Search History

S50	1	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (interface near3 selection)) same (user with (confirm\$5 or ask\$4 or valid\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 16:54
S52	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (interface near3 selection) near4 (policy or setup or scheme))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:51
S53	2	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (interface near3 selection) near4 (parameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:17
S54	274	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (interface near3 selection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:24
S55	15	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((interface near3 selection)) and (change near5 (selection near3 (parameter\$2 or requirement\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:31
S56	5	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((network near3 selection)) and (change near5 (selection near3 (parameter\$2 or requirement\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:36

EAST Search History

S57	1	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (policy near4 change) same (user near5 (confirm\$4 or valid\$5)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:37
S58	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((network near4 selection) near4 change) same (user near5 (confirm\$4 or valid\$5)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:38
S59	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((network near4 selection) near4 change) same (user near5 (confirm\$4 or valid\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 17:38
S60	8	("20010055298" "20020136183" "20020155831" "20020197992" "5825759" "6104712" "6256300" "6990082").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/24 17:42
S61	993	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$4) near5 (selection) with (cost or bandwidth or quality))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 18:17
S62	2	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$4) near5 (selection) with (cost or bandwidth or quality)) same (user near6 (confirm\$4 or valid\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 18:35

EAST Search History

S63	4	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (user near6 (confirm\$5 or valid\$5)) with (policy near5 (chang\$5 or modif\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 18:37
S64	72	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (user near6 (confirm\$5 or valid\$5)) with (parameter\$2 near5 (chang\$5 or modif\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 18:37
S65	1	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (user near6 (confirm\$5 or valid\$5)) with (parameter\$2 near5 (chang\$5 or modif\$6)) with (connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 18:40
S66	1102	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (chang\$4 or modif\$5 or switch\$5) near5 (selection near4 parameter\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/24 18:41
S67	5	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (chang\$4 or modif\$5 or switch\$5) near5 ((network or interface) near2 selection near4 parameter\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 09:46
S68	44	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (chang\$4 or modif\$5 or switch\$5) near5 (automatic\$5) with (user near2 preferences)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 09:47

EAST Search History

S69	1361	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (priorit\$3 with (AP or (access point\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:36
S70	6	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (priorit\$3 with (AP or (access point\$2)) with (chang\$2 or switch\$3) with (cost or signal or strength or power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:38
S71	8	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (priorit\$3 with (AP or (access point\$2)) with (chang\$2 or switch\$3) same (cost or signal or strength or power)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:40
S72	6613	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near5 (connection or link or channel) with (quality or bandwidth or cost or noise or power or strength)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:41
S73	406	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near5 (priority) with (quality or bandwidth or cost or noise or power or strength)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:41

EAST Search History

S74	14	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near5 (priority) with (quality or bandwidth or cost or noise or power or strength)) same (AP or access point\$2 or (base station\$2)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:50
S75	273	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or switch\$3) near3 (priority) with (quality or bandwidth or cost or noise or power or strength)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:51
S76	332	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or reduc\$3 or increas\$3) near3 (priority) with (quality or bandwidth or cost or noise or power or strength)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 13:16
S77	234	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or reduc\$3 or increas\$3) adj3 (priority) with (quality or bandwidth or cost or noise or power or strength)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:53
S78	29	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or reduc\$3 or increas\$3 or adjust\$3) adj3 (priority) with (quality or bandwidth or cost or noise or power or strength)) same (ap or access point\$2 or base station\$2) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 10:55

EAST Search History

S79	29	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or reduc\$3 or increas\$3 or adjust\$3) adj3 (priority) with (ap or access point\$2 or base station\$2)) and ("455" or "370" or "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 12:39
S80	56	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((chang\$3 or reduc\$3 or increas\$3 or adjust\$3) adj3 (priority) same (ap or access point\$2 or base station\$2)) and ("455" or "370" or "709").clas. not S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 12:40
S81	42	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (stor\$3 with (available near3 (AP or (access point\$2))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 14:11
S82	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (stor\$3 with scan\$3 with (available near3 (AP or (access point\$2))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 13:19
S83	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (stor\$3 with (available near3 (AP or (access point\$2)))) and (scan\$3 with (available near3 (AP or (access point\$2))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 13:21
S84	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (stor\$3 with (available near3 (AP or (access point\$2)))) and (serch\$3 with (available near3 (AP or (access point\$2))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 13:21

EAST Search History

S85	30	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (list with (available near3 (AP or (access point\$2))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 13:28
S86	19	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (stor\$3 with (available near3 (AP or (access points))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 14:14
S87	122	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (stor\$3 with (available with (AP or (access points)))) not S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 14:18
S88	79	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((wireless or mobil\$3) adj5 stor\$3 with ((AP or (access points)))) not S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 14:34
S89	0	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and ((wireless or mobil\$3) adj5 stor\$3 with (present near4 (AP or (access points)))) not S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 15:40
S90	36	(@ad<="20020710" or @pd<="20020710" or @rlan<="20020710" or @rlad<="20020710" or @rlpn<="20020710") and (list with (available near4 (IAP or AP or (access point\$2))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/25 15:46